



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW1

E4G0438-01 (Aqueous) - Sampled: 07/23/14 07:25

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1070	20.0	mgCaCO ₃ /L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	6190	50.0	mg/L	1	ECG0494	ECF	07/29/14 11:35	SM 2540C	

Anions by EPA Method 300.0

Chloride	2580	160	mg/L	1000	ECG0481	DMB	07/29/14 03:27	EPA 300.0	
----------	------	-----	------	------	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oldahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW2

E4G0438-02 (Aqueous) - Sampled: 07/22/14 15:25

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods


Total Alkalinity	1200	20.0	mgCaCO3/L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B
Total Dissolved Solids	1870	50.0	mg/L	1	ECG0494	ECF	07/29/14 11:35	SM 2540C

Anions by EPA Method 300.0

Chloride	338	160	mg/L	1000	ECG0481	DMB	07/29/14 03:45	EPA 300.0
----------	-----	-----	------	------	---------	-----	----------------	-----------

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.


Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW3

E4G0438-03 (Aqueous) - Sampled: 07/22/14 16:05

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	990	20.0	mgCaCO ₃ /L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	2360	50.0	mg/L	1	ECG0494	ECF	07/29/14 11:35	SM 2540C	

Anions by EPA Method 300.0

Chloride	570	160	mg/L	1000	ECG0481	DMB	07/29/14 04:03	EPA 300.0	
----------	-----	-----	------	------	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW4

E4G0438-04 (Aqueous) - Sampled: 07/22/14 17:05

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1740	20.0	mgCaCO ₃ /L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B
Total Dissolved Solids	5930	50.0	mg/L	1	ECG0494	ECF	07/29/14 11:35	SM 2540C

Anions by EPA Method 300.0

Chloride	2300	160	mg/L	1000	ECG0481	DMB	07/29/14 04:21	EPA 300.0
----------	------	-----	------	------	---------	-----	----------------	-----------

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW5

E4G0438-05 (Aqueous) - Sampled: 07/22/14 17:35

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	2230	20.0	mgCaCO3/L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	3670	50.0	mg/L	1	ECG0494	ECF	07/29/14 11:35	SM 2540C	

Anions by EPA Method 300.0

Chloride	827	160	mg/L	1000	ECG0505	DMB	07/29/14 17:55	EPA 300.0	
----------	-----	-----	------	------	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW6

E4G0438-06 (Aqueous) - Sampled: 07/24/14 10:20

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	980	20.0	mgCaCO ₃ /L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	1580	50.0	mg/L	1	ECG0494	ECF	07/29/14 11:35	SM 2540C	

Anions by EPA Method 300.0

Chloride	306	80.0	mg/L	500	ECG0505	DMB	07/29/14 18:49	EPA 300.0	
----------	-----	------	------	-----	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW7

E4G0438-07 (Aqueous) - Sampled: 07/22/14 18:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1150	20.0	mgCaCO3/L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B
Total Dissolved Solids	1720	50.0	mg/L	1	ECG0494	ECF	07/29/14 11:35	SM 2540C

Anions by EPA Method 300.0

Chloride	301	32.0	mg/L	200	ECG0505	DMB	07/29/14 19:06	EPA 300.0
----------	-----	------	------	-----	---------	-----	----------------	-----------

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW8

E4G0438-08 (Aqueous) - Sampled: 07/22/14 18:45

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	396	20.0	mgCaCO3/L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B
Total Dissolved Solids	2770	50.0	mg/L	1	ECG0494	ECF	07/29/14 11:35	SM 2540C

Anions by EPA Method 300.0

Chloride	1200	80.0	mg/L	500	ECG0505	DMB	07/29/14 19:24	EPA 300.0
----------	------	------	------	-----	---------	-----	----------------	-----------

Environmental Testing, Inc.

Keith Hopcus For Russell Britten, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW8

E4G0438-09 (Aqueous) - Sampled: 07/23/14 08:45

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	870	20.0	mgCaCO ₃ /L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	1780	50.0	mg/L	1	ECG0494	ECF	07/29/14 11:35	SM 2540C	

Anions by EPA Method 300.0

Chloride	497	80.0	mg/L	500	ECG0505	DMB	07/29/14 19:42	EPA 300.0	
----------	-----	------	------	-----	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

Keith Hopcus For Russell Britten, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW10

E4G0438-10 (Aqueous) - Sampled: 07/23/14 08:05

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	392	20.0	mgCaCO3/L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B
Total Dissolved Solids	1730	50.0	mg/L	1	ECG0494	ECF	07/29/14 11:35	SM 2540C

Anions by EPA Method 300.0

Chloride	564	80.0	mg/L	500	ECG0505	DMB	07/29/14 20:00	EPA 300.0
----------	-----	------	------	-----	---------	-----	----------------	-----------

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW11

E4G0438-11 (Aqueous) - Sampled: 07/23/14 09:45

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	380	20.0	mgCaCO3/L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	1050	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	277	32.0	mg/L	200	ECG0505	DMB	07/29/14 20:18	EPA 300.0	
----------	-----	------	------	-----	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW12

E4G0438-12 (Aqueous) - Sampled: 07/23/14 10:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1920	20.0	mgCaCO3/L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	2760	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	455	80.0	mg/L	500	ECG0505	DMB	07/29/14 20:35	EPA 300.0	
----------	-----	------	------	-----	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW13

E4G0438-13 (Aqueous) - Sampled: 07/23/14 11:40

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1400	20.0	mgCaCO ₃ /L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B
Total Dissolved Solids	2350	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C

Anions by EPA Method 300.0

Chloride	403	160	mg/L	1000	ECG0505	DMB	07/29/14 20:53	EPA 300.0
----------	-----	-----	------	------	---------	-----	----------------	-----------

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW14

E4G0438-14 (Aqueous) - Sampled: 07/23/14 14:30

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1520	20.0	mgCaCO ₃ /L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	1590	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	93.2	16.0	mg/L	100	ECG0505	DMB	07/30/14 10:11	EPA 300.0	
----------	------	------	------	-----	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW15

E4G0438-15 (Aqueous) - Sampled: 07/23/14 14:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	240	20.0	mgCaCO3/L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	3590	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	1660	160	mg/L	1000	ECG0505	DMB	07/30/14 10:29	EPA 300.0	
----------	------	-----	------	------	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW16

E4G0438-16 (Aqueous) - Sampled: 07/23/14 13:20

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	402	20.0	mgCaCO ₃ /L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	11500	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	5890	800	mg/L	5000	ECG0505	DMB	07/29/14 22:04	EPA 300.0	
----------	------	-----	------	------	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW17

E4G0438-17 (Aqueous) - Sampled: 07/24/14 13:05

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods


Total Alkalinity	312	20.0	mgCaCO ₃ /L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B
Total Dissolved Solids	17500	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C

Anions by EPA Method 300.0

Chloride	9300	800	mg/L	5000	ECG0505	DMB	07/29/14 22:22	EPA 300.0
----------	------	-----	------	------	---------	-----	----------------	-----------

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.


Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW18

E4G0438-18 (Aqueous) - Sampled: 07/23/14 15:10

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1500	20.0	mgCaCO3/L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	2000	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	307	160	mg/L	1000	ECG0505	DMB	07/29/14 22:40	EPA 300.0	
----------	-----	-----	------	------	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW19

E4G0438-19 (Aqueous) - Sampled: 07/23/14 15:35

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	2080	20.0	mgCaCO ₃ /L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	2080	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	63.0	16.0	mg/L	100	ECG0505	DMB	07/30/14 10:47	EPA 300.0	
----------	------	------	------	-----	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW20

E4G0438-20 (Aqueous) - Sampled: 07/23/14 09:10

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1020	20.0	mgCaCO3/L	1	ECG0521	ECF	07/30/14 09:00	SM 2320B	
Total Dissolved Solids	3190	50.0	mg/L	1	ECG0543	BLG	07/31/14 11:30	SM 2540C	

Anions by EPA Method 300.0

Chloride	1050	80.0	mg/L	500	ECG0505	DMB	07/29/14 23:16	EPA 300.0	
----------	------	------	------	-----	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW21

E4G0438-21 (Aqueous) - Sampled: 07/23/14 17:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	380	20.0	mgCaCO3/L	1	ECG0522	ECF	07/30/14 12:10	SM 2320B
Total Dissolved Solids	4220	50.0	mg/L	1	ECG0543	BLG	07/31/14 11:30	SM 2540C

Anions by EPA Method 300.0

Chloride	1280	160	mg/L	1000	ECG0505	DMB	07/30/14 11:04	EPA 300.0
----------	------	-----	------	------	---------	-----	----------------	-----------

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW22

E4G0438-22 (Aqueous) - Sampled: 07/23/14 16:20

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1250	20.0	mgCaCO3/L	1	ECG0522	ECF	07/30/14 12:10	SM 2320B
Total Dissolved Solids	9970	50.0	mg/L	1	ECG0543	BLG	07/31/14 11:30	SM 2540C

Anions by EPA Method 300.0

Chloride	4410	800	mg/L	5000	ECG0505	DMB	07/29/14 23:51	EPA 300.0
----------	------	-----	------	------	---------	-----	----------------	-----------

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW23

E4G0438-23 (Aqueous) - Sampled: 07/22/14 14:40

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1630	20.0	mgCaCO ₃ /L	1	ECG0522	ECF	07/30/14 12:10	SM 2320B	
Total Dissolved Solids	4540	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	1710	160	mg/L	1000	ECG0505	DMB	07/30/14 00:09	EPA 300.0	
----------	------	-----	------	------	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW24

E4G0438-24 (Aqueous) - Sampled: 07/22/14 14:10

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	620	20.0	mgCaCO ₃ /L	1	ECG0522	ECF	07/30/14 12:10	SM 2320B
Total Dissolved Solids	1100	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C

Anions by EPA Method 300.0

Chloride	300	80.0	mg/L	500	ECG0505	DMB	07/30/14 00:27	EPA 300.0
----------	-----	------	------	-----	---------	-----	----------------	-----------

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW25

E4G0438-25 (Aqueous) - Sampled: 07/22/14 13:35

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	1880	20.0	mgCaCO ₃ /L	1	ECG0522	ECF	07/30/14 12:10	SM 2320B	
Total Dissolved Solids	2620	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	311	160	mg/L	1000	ECG0506	DMB	07/30/14 01:38	EPA 300.0	
----------	-----	-----	------	------	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

Keith Hopcus For Russell Britten, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW26

E4G0438-26 (Aqueous) - Sampled: 07/22/14 12:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	2900	20.0	mgCaCO3/L	1	ECG0522	ECF	07/30/14 12:10	SM 2320B	
Total Dissolved Solids	3580	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	385	80.0	mg/L	500	ECG0506	DMB	07/30/14 11:22	EPA 300.0	
----------	-----	------	------	-----	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oldahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etalab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW27

E4G0438-27 (Aqueous) - Sampled: 07/22/14 11:40

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	2140	20.0	mgCaCO3/L	1	ECG0522	ECF	07/30/14 12:10	SM 2320B
Total Dissolved Solids	3040	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C

Anions by EPA Method 300.0

Chloride	472	80.0	mg/L	500	ECG0506	DMB	07/30/14 11:40	EPA 300.0
----------	-----	------	------	-----	---------	-----	----------------	-----------

Environmental Testing, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.

Keith Hopcus For Russell Britten, President



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW28

E4G0438-28 (Aqueous) - Sampled: 07/22/14 11:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	2660	20.0	mgCaCO3/L	1	ECG0522	ECF	07/30/14 12:10	SM 2320B
Total Dissolved Solids	12500	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C

Anions by EPA Method 300.0

Chloride	5960	800	mg/L	5000	ECG0506	DMB	07/30/14 03:07	EPA 300.0
----------	------	-----	------	------	---------	-----	----------------	-----------

Environmental Testing, Inc.

Keith Hopcus For Russell Britten, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.



4619 N. Santa Fe
Oklahoma City, OK 73118
405.488.2400 Phone
405.488.2404 Fax
www.etilab.com

Associated Environmental Industries Corp.
P.O. Box 5300
Norman OK, 73070

Project: Webb City, OK
Project Number: No Project
Project Manager: Mr. Robert Keyes

Reported:
07/31/14 16:11

MW29

E4G0438-29 (Aqueous) - Sampled: 07/22/14 10:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Qualifiers
---------	--------	-----------------	-------	----------	-------	---------	----------	--------	------------

Environmental Testing, Inc.

Conventional Chemistry Parameters by Standard Methods

Total Alkalinity	2020	20.0	mgCaCO ₃ /L	1	ECG0522	ECF	07/30/14 12:10	SM 2320B	
Total Dissolved Solids	4440	50.0	mg/L	1	ECG0513	BLG	07/30/14 11:45	SM 2540C	

Anions by EPA Method 300.0

Chloride	1430	800	mg/L	5000	ECG0506	DMB	07/30/14 03:25	EPA 300.0	
----------	------	-----	------	------	---------	-----	----------------	-----------	--

Environmental Testing, Inc.

Keith Hopcus For Russell Britten, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document and meet all laboratory accreditation requirements unless noted otherwise. This analytical report must be reproduced in its entirety.